

# Post Mount Artwork Approval Form

**DO NOT** send back this form blank. It **all MUST** be filled out- even on repeats!

We **WILL NOT** begin production until this form is completed.

## A Note from the Manufacturer:

The client is responsible for ordering the correct board size, orientation, foreign language translations, frame type, spelling, punctuation, grammar, variable data, layout, logos, graphics, colors, etc. These elements can be checked using the two PDF proofs provided.

We highly recommend you to make sure that your artwork is exactly as you want it before signing this form. Please take your time so your printed insert is correct the first time. Please don't rush through the review/approval process.

Please call Jen at 860-632-2026 x 116 with any questions or concerns!

## Steel Panel size and Mounting to IV Pole

Steel Panel for Basic Rigid Mount:

☐ 11"x17" 4 holes \_\_\_\_ # of

☐ 17"x23.5" 4 hole \_\_\_\_ # of

or

Steel Panel for Tilttable Mount:

☐ 11"x17" 10 hole \_\_\_\_ # of

☐ 17"x23.5" 14 hole \_\_\_\_ # of

## The "Artwork"

Use the **PDF files** you received via email when filling this section out. **See diagram to the right for reference.**



Layout: Artwork #: A \_\_\_\_\_

Revision # of Artwork: R \_\_\_\_\_

AXXXX-rX-XXxXX----- .pdf

AXXXX-rX-XXxXX----- .pdf

Quantity of Printed  
Tablets, Inserts or  
Overlays for this  
Artwork #

If Tablet style what is size of Tablet: \_\_\_\_ Tall \_\_\_\_ Wide

If magnet or overlay is art size of panel? \_\_\_\_ Yes \_\_\_\_ No

☐ I have proofread the text and hereby approve the grammar, syntax, spelling, and punctuation on the board.

☐ I have carefully inspected the graphic elements including dividing lines, clip art, logos, and colors and hereby approve the quality, alignment, and appearance of the board.

☐ I know INSERT is not dry erase and needs a dry erase lens cover

### Pick style of image below:

Rigid Tablet style can be handheld

☐ .060" Styrene Tablet, filmed with Magnetic back

Flexible Overlay for use only on steel panel

☐ Dry erase .020 Magnet filmed

☐ Syntisol Insert w/ Lens cover & magnet holders

☐ Peel and Stick Dry erase overlay

☐ Filmed Syntisol Overlay and Magnet holders

Note-Trays are not available with Post Mount units

## Variable Data

☐ There is **no** variable data. Every printing for this A# will be exactly the same.

☐ There **will be** variable data so each piece will be different.

☐ I have reviewed the provided excel file proof of the variable data spreadsheet and approve the format, content, and accuracy of the data.

Revision # of Excel file: \_\_\_\_\_

By signing this approval, I understand that the boards are custom made and are not returnable for any of the approved items on this form. I understand that I will get exactly what I am signing off on and I will accept what I have approved. I understand that any deviations or defects from the approved artwork will be replaced at Indoff's expense.

\_\_\_\_\_  
Your Signature and Date

\_\_\_\_\_  
Your Supervisor's Signature and Date (Optional)

\_\_\_\_\_  
Purchase Order Number from Purchasing or Materials Dept. (Optional)

\_\_\_\_\_  
Purchasing Organization, Company, or Hospital

**Fax: 860-632-2028**

Email: ahutton@ahutton.com  
Phone: 860-632-2026 x 116

**Indoff**  **Hospital  
Boards**